Reviewing Ethiopia's Health System Development

JMAJ 52(4): 279-286, 2009

Richard G. WAMAI*1

A country in the horn of Africa region and one of the oldest states, Ethiopia has poor health outcomes even by sub-Saharan Africa's standards characterized by many decades without a national health policy, weak healthcare system infrastructure and low government spending.¹ Crucially, Ethiopia has taken critical steps in policy and programs to improving the country's health status. Nevertheless, a World Bank study simulating different scenarios to meet the United Nations Millennium Development Goals (MDGs) on health in the country shows that unprecedented levels of aid flow would be needed.² This paper overviews key health measures of Ethiopia and discusses some of the challenges as well as prospects for improvements of the country's health outcomes.

The Health Situation in Ethiopia

Country profile and health policy development

Like many other countries in sub-Saharan Africa, Ethiopia is a country of diverse cultures, traditions and histories. In spite of its ancient civilizations and being the only other country in the continent that was not colonized as well as one of the oldest territorially integral nation in the world, Ethiopia today is one of the least developed countries with low development indicators. In comparison, for example, although Ethiopia has more than double the population of neighboring Kenya, its health care system in terms of infrastructure and personnel is about one third of Kenya's. With a population of about 70 million, it is also the third most populous country in Africa. Eighty-two percent of the population lives under a dollar a day, 44% living below the national poverty line.³

Table 1 shows the key country's health related demographic and socio-economic indicators.

Ethiopia is a democracy with a federal system of government comprising 9 regions and two administrative councils. These are further subdivided into 62 zones and 523 districts or woredas (in Amharic). In the mid 1990s, the Ethiopia People's Revolutionary Democratic Front (EPRDF) took power promising a democratic environment. In 1993 the government published the country's first health policy in 50 years setting the vision for the healthcare sector development for the next two decades.¹⁰ The policy tried to reorganize the health services delivery system with the objective of contributing positively to the overall socio-economic development effort of the country.3 Major aspects of this policy focus on fiscal and political decentralization, expanding the primary health care system, and encouraging partnerships and the participation of nongovernmental actors.

To implement the policy, the Health Sector Development Program (HSDP) was developed in 1997/98, and a healthcare and financing strategy in 1998. The program under HSDP-I covered the first five years (1997/98-2001/02) and prioritized disease prevention and decentralizing health services delivery.11 The targets set in HSDP-I were not met and a new strategy, HSDP-II (2002/03-2004/05), was developed with an added aim of including NGOs in the implementation of a basic health package.¹² In pursuant of the health policy goals of improving the health status of the Ethiopian population using the cycle of the fiveyear term health strategy framework, HSDP-III was developed in 2005 to run through 2005/06-2009/10.13 This latest strategy stresses the need

*1 Visiting Assistant Professor, Department of African-American Studies, Northeastern University (r.wamai@neu.edu). Takemi Fellow (2006–2008), Harvard School of Public Health, Boston, MA, USA.

Table 1 Key socio-demographic and health indicators, Ethiopia (various years)

Indicator	Ethiopia
Population (mil) (2004)	75
Pop. growth rate %	2.5
Life expectancy (2007)	48
Under 5 mortality rate per 1,000 (2005)	123
Maternal mortality rate (2005)	673
Poverty rate (\$/d) % (2000)	82
GNI per capita \$ (2007)	160
Overseas dev. assistance % GNP	21.6
ODA per capita (2005)	27
Pop. with HIV % (2007)	2.1
Health expenditure % of GDP	3.5
Health expenditure per capita (2003)	5.6
Health personnel total (2007)	46,666
Physician/population (2007)	42,706
Health facilities total (2007)	14,041
Health facilities/ population (2007)	5,493

Sources: Ethiopia DHS 2005⁴; The Little Book of Data 2007⁵; DFID 2007⁶; Ethiopia 3rd National Health Accounts 2006⁷; Ethiopia Health Sector Strategic Plan III, 2005⁸; Ethiopia Health and Health Indicator 2007.⁹

to increase national health spending, the strategic role of NGOs as partners in achieving universal primary healthcare coverage not only in planning but also implementing healthcare delivery particularly at the *woreda* level and also emphasizes the need to strengthen government-NGOs collaboration. Complementing these frame-works, Ethiopia's social-development program, the 2002 medium-term poverty reduction strategy paper (PRSP) termed Sustainable Development and Poverty Reduction Program (SDPRP),³ recognizes the need to further development through improving governance and human rights. This framework is repeated in the second PRSP called Plan for Accelerated and Sustained Development to End Poverty (PASDEP) for 2005/06-2009/10, Ethiopia's development blueprint.¹⁴

Situational analysis of the health care system

The health service system in Ethiopia is federally decentralized along the nine regions. Table 2 below shows the health facilities distribution in Ethiopia by region and by type as of year 2006/07. The infrastructure comprises a total of about 14,000 health facilities which include 143 hospitals, 690 health centers, and 1,662 health stations of which

									<u> </u>				
Desien	Hospitals				Health centers			Health stations**			Health	Private	
Region	MOH	Others*	Total	Beds	MOH	Others	Total	Beds	MOH	Others	Total	posts	clinics**
Tigray	13	3	16	1,417	41	1	42	380	167	15	182	529	31
Afar	2	0	2	122	14	0	14	0	45	0	45	154	3
Amhara	16	3	19	1,615	169	0	169	369	0	40	40	2,590	304
Oromia	22	8	30	3,513	197	5	202	—	717	100	871	1,985	672
Somali	6	0	6	436	20	0	20	276	75	0	75	149	2
Ben-Gumz	2	0	2	205	15	0	15	150	56	0	56	88	19
SNNPR	14	6	20	1,897	176	4	180	_	179	77	256	4,258	116
Gambella	1	0	1	100	5	4	9	50	27	8	35	64	7
Hareri	2	2	4	710	3	0	3	30	9	10	19	22	21
Addis A	5	25	30	927	24	5	29	180	8	122	130	37	382
Dire Dawa	1	3	4	232	7	0	7	60	0	7	7	38	21
Central	4	5	9	2,460	0	0	0	0	0	0	0	0	0
National	88	55	143	13,677	671	19	690	1,495	1,283	379	1,662	9,914	1,578

Table 2 Distribution of health infrastructure by region (2006/07)

Source: Ethiopia HSDP-III, 20058; Health and Health Indicator 20079

Note: --- no data; * hospitals owned private entities, NGOs and other government entities; ** data is for 2004/05.

62%, 97% and 77%, respectively, were owned by the Ministry of Health. Of the hospitals there are 5 central teaching institutions. The health posts are virtually entirely owned by the government. The differentiation of the various service levels is made typically by population size. According to calculations given by the Federal Ministry of Health (FMOH), a health center serves an estimated 25,000 persons, a health station 10,000, and a health post and private clinic 5,000.

		0				· ·	
Health facilities		1996/97	1997/98	1998/99	1999/00	2000/01	2001/02
Number of hospitals	Government NGO	46 17	59 17	55 17	64 17	68 17	68 18
Number of health centers	Government NGO	241 5	262 5	294 6	344 23	369 17	384 26
Number of health stations	Government NGO	2,202 13	2,173 14	2,118 15	2,031 268	2,019 374	2,019 312
Number of health posts		76	164	373	893	1,063	1,193
Total		2,600	2,694	2,878	3,640	3,927	4,020
Number of health facilities per 100,000 population		4.5	4.5	4.5	5.7	6	6

Table 3	Growth of	functioning h	nealth facilities	in Ethiopia	(1996/97-2001/02)
---------	-----------	---------------	-------------------	-------------	-------------------

Source: Ethiopia MDGs Progress Report 2004, p.24¹⁶; Ethiopia HSDP-II.¹²

Degion	Denulation	Health	Health pe	ersonnel**	Physician:	Public health	
Region Population		facilities*	Physicians	+ All others	population ratio	expend per capita (ETB)	IMR/1000
Tigray	4,449,000	800	59	5,265	75,407	22.9	67
Afar	1,418,000	218	10	595	141,800	19.9	61
Amhara	19,624,000	3,122	133	11,013	147,549	10.9	94
Oromia	27,304,000	3,760	149	12,133	183,248	13.9	76
Somali	4,444,000	252	53	912	83,849	17.3	57
Ben-Gumz	640,000	180	6	569	106,667	42.2	84
SNNPR	15,321,000	4,830	155	7,803	98,845	10.7	85
Gambella	253,000	116	4	545	63,250	52.6	92
Hareri	203,000	69	41	408	4,951	75.2	66
Addis Ababa	3,059,000	608	118	1,433	25,924	26.8	45
Dire Dawa	412,000	77	31	416	13,290	4.7	71
Others**	_	9	1,047	8,382	_	_	
National	77,127,000	14,041	1,806	46,666	42,706	15.5	77

Table 4 Demographic, health system, per capita expenditure and IMR (2007)

Source: Ethiopia HSDP-III8; Health and Health Indicator 20079

Notes: *Health facilities include all hospitals, health centers, health stations, health posts and private clinics. The hospitals include 5 central institutions listed separately. These data may vary between the various government sources but here we use the Health and Health Indicator 2007.⁹

** Health personnel include physicians and all cadres of nurses. The tally for the regions does not make up the total number shown in this table. The government lists in separates categories other data for the human resources by sectors (NGO, other government and private) as well as a separate account for the Central hospitals. When these are added they make up the total figures shown in this column. These data may vary between the various government sources but here we calculate using the Health and Health Indicator 2007.⁹

In recent years the national health delivery infrastructure has grown significantly. As shown in Table 3, the overall number of all facilities has increased by 55% during 1996/97 to 2001/02. This rate of increase was greater than that of population growth hence it is reflected in the improvement of the population-facility ratio. On the other hand, it can also be noted that the governmentowned health stations have decreased while ownership by NGOs has risen during the same period. The trend is the result of a deliberate policy by the government to decrease its involvement at this level while focusing on health posts and health centers and, thus, allowing NGOs to play a greater role particularly here as represented by their exponential growth. NGOs provide financing and general (curative, preventive and rehabilitative) healthcare services, HIV/AIDS and reproductive health services in clinics and through health education. According to one source citing a household welfare survey on health utilization, 3.3% of respondents reported using NGO services.¹⁵ The growth of the health infrastructure has raised the average national health coverage to 64%. Nevertheless, annual utilization per capita remains very low at only 0.36 (36%) for the national average as at 2004.8 And while antenatal coverage has grown from 34% in 2002 to 52% in 2007, supervised deliveries have remained low at 7% and 19% in the same period.¹³

To further analyze the picture, in Table 4 we disaggregate the health facilities data presented in Table 2 combining with health personnel data and expenditure per capita by region. There are over 46,000 health workers who include physicians and all cadres of nurses, laboratory technicians, environmental health workers, and traditional birth attendants. The physician to

population ratio of about 42,000 is well below the WHO standard of 1:10,000 and is over five times below the average for sub-Saharan Africa.¹⁷ As depicted by these tables, there is a wide variation in the distribution of health care facilities, health personnel and health expenditures across the different regions of the country. Such variations exacerbate the health inequalities in the country.

Health Care Financing

The state of healthcare financing in Ethiopia has over the years been characterized by low government spending and minimal participation of the private sector. With the government having the major responsibility changes in the political regimes has meant that the politics of the day have had much influence on the financing policy environment. Per capita spending has remained below the sub-Saharan Africa average of US\$12.8 During the Derg regime, in the late 1970s through the 1980s the ministry of health spending as a share of government expenditure declined from more than 4% to 2.8%. In 1991, government spending amounted to only 1% of the GDP. With the new government that came to power in the mid 1990s, this increased slightly to about 2.7% in 1996 and to 5% during 2004/05.7

Health financing in Ethiopia comes from a variety of sources as shown in Table 5. According to these data from the 3rd National Health Accounts (NHA), the government and other public enterprises provides 31% of the financing, donors and NGOs 37%, households 31% and other private employers and funds about 2%. The share of government and households financing has decreased from 33% and 36%, respectively, in 1999/00.¹⁸ On the other hand, the share

Source	Amount in USD	Per capita USD	Percent
Government	159,297,649	2.18	31
Donors and NGOs (inter + local)	192,293,175	2.63	37
Household	160,042,854	2.19	31
Private employers and private funds	10,095,901	0.13	2
Total	521,729,581	7.14	100%

Table 5 Total and per capita health expenditure by major source classifications (Fiscal year, 1997 EC; 2004/05 GC)

Source: Ethiopia 3rd NHA.7

Note: EC stands for Ethiopian Calendar and GC for Gregorian Calendar.

of foreign financing and NGOs has grown from 26%; the second NHA reported that in 2000 the Ethiopian health NGO community contributed 10% of the national health expenditure up from 7% in the first NHA (1996).¹⁸

As shown in Table 5, the average national per capita spending in 2004/05 was US\$7.14. On the other hand, in Table 4 we see that public health financing comprised only Ethiopian Birr (ETB) 15.5 (about US\$1.3). This represents a significant increase from ETB 2.1 (US\$0.2) in 1990. There are extreme variations across regions with the highest spending per capita in Hareri (Birr 75.2 or about US\$6.3) and the lowest in Dire Dawa (ETB 4.7 or US\$0.4). The disparity in spending is largely due to the fact that fiscal decentralization grants regional governments the right to allocate government funds, most of which is federally provided; about 80% of health expenditure at regional levels is grants allocated to each region on the basis of formula of weighted variables namely, population size, level of development and level of revenue generation.19

Figure 1 below depicts the trends in the public healthcare budget allocation and expenditure during a 15 year period (1981–1996 EC; 1989– 2004 GC). As can be seen, government spending has increased significantly; in 2008 amounted to 2.3 billion BIR (about US\$189 million).²⁰ Seventysix percent of the expenditure is in curative services with a slight increase in preventive health spending from 17% in 2000 to 24% in 2005.⁴

Major Health Concerns Despite Improvements

Ethiopia has seen positive developments in many health indicators since the democratic government process began in the early 1990s: the health service system has expanded; overall and per capita health spending has increased significantly; and there is a policy and program for health improvements in the country focusing on expanding primary health coverage universally. In addition to these improvements, there has been a significant increase in the number of human resources for health. For example, during 1997–2007 the number of nurses increased from just about 2,800 to over 18,000²¹ and the country has moved from having the worst doctor-patient ratio in the world of 1:48,000 in 1999 to 1:42,000.17 Child immunization coverage has also increased from 30% in 2002 to 53% in 2007 while antenatal coverage rose from 34% to 52% during the same period.9 Overall, maternal and child health utilization has increased marginally²² while child malnutrition has decreased steadily²³ leading to notable improvements in IMR, U5MR and MMR.^{1,4,21}

Despite these improvements and with a rapidly increasing population, Ethiopia faces major health concerns. Constraints in the delivery of services include: the low number of health care facilities which are ill-equipped, mal-distributed and in a state of disrepair; an ineffective health




Fig. 1 Public health expenditure, 1981–1996 EC (1999–2004 GC)

care delivery system which is inefficient and biased towards the curative service: a undemocratic health care delivery system and management which although decentralized at the regional level still relies on centralized policy making and budgets; an acute shortage of human and material resources; and inefficient utilization of the available while little involvement and participation of the private and NGO sectors as well as the beneficiary communities.²⁴ In addition to these, some of the critical challenges in the healthcare system include: strengthening primary preventive/promotive healthcare through greater investments; where more than 80% of common diseases, and the disease burden, are communicable and infectious, this is extremely critical.

Ethiopia has a long way to go to reach the level of health spending recommended for a minimum and decent quality of essential health services.²⁵ In the early 1990s the World Bank had estimated that the annual cost per capita of delivering the package of essential services*2 in Ethiopia would be US\$12 (in 1990 US\$).²⁶ However, the WHO set the required target in low income countries at US\$34 per capita.²⁷ And at 3.5% of government spending on health in 2008/2009,20 Ethiopia is far from achieving the 15% share of government expenditure agreed upon by the member states of the WHO Africa region.²⁸ More recent data show the gap to be US\$15.41 needed to reach the MDGs7 with needed annual foreign financing of US\$60 per capita.²³ However, if recent trends continue the per capita spending will only reach US\$19.44 in 2015.7 Even that is uncertain as estimates for the mid-term review of HSDP-III show a decrease to US\$3, far from meeting the target of US\$9.6 in 2010.²¹

Conclusion

As the World Bank admits, sub-Saharan Africa will not reach the malnutrition and child mortality targets, as well as some areas in communicable diseases at current pace of implementation.²⁹ There is need to accelerate improvements in the country's healthcare system if Ethiopia expects to reach its health targets and the MDGs for health. In addition to a concerted focus for primary health system development and strengthening as recommended by the WHO,26,28,30,31 a number of areas deserve particular attention. The Health Sector Development Program (HSDP) is a critical national health planning process. However, many of its objectives have remained unachieved despite revision in the successive plans; a mid-term review of HSDP-III shows a near 100% in health coverage as indicated by the availability of primary health services (health posts, health extension workers and kits for essential health services) but outpatient utilization rate per person per year is only 0.32, far short of the target of 0.66 with only about a year left to 2010.²¹ This shows that the increase in availability of services does not guarantee utilization. At the same time, increase in antenatal coverage has not resulted in equal levels of supervised deliveries. Hence, improving health will require increasing health service utilization, particularly the critical maternal and child health services, as a matter of priority, and this cannot be done by merely increasing services availability but by providing quality and reliable services.

Secondly, there is need to rethink the organization and management of the service system. While federal fiscal decentralization at the regional level may satisfy a political goal, it has resulted in imbalances in the health spending. This notwithstanding, the process of deepening decentralization to woreda levels has been very slow depriving popular participation by civil society organizations and communities.15 To achieve this capacity building of the health management levels at national, regional and woreda levels will be needed. The recent reform of the Ministry of Health through the business process re-engineering (BPR), aimed at improving performance through the introduction of business-process measures and indicators in the government system,²¹ may help improve technical and allocative efficiency and thereby increase standards and quality but its results are yet to be seen.

A third area critical to improving health in Ethiopia is in human resources for health. The current pillar for improving primary health coverage to universality is anchored on the health extension program (HEP), the central component being

^{*2} The package defined by the World Bank include reduction of maternal mortality by deploying more extensive, professional, pre-natal, childbirth and postpartum care and better access to family planning services, provision of drug therapy for tuberculosis, control of STDs, prevention of and care for sufferers from common illnesses among children—measles, malaria, diarrhea, respiratory infections and malnutrition.²⁵

the massive training and deployment of health extension workers (HEWs) in basic clinical and drugs skills.⁸ The rural health worker program, highly dependent on donors, will increase probability of patients' contact with health services. However, an overemphasis and high expectations may overshadow other human resource and management and other programmatic needs as well as nurture corruption.³² There needs to be a focus on training and retaining skilled personnel such as physicians, nurses and skilled birth attendants in the health system.

At 5.6% of the GDP health spending remains extremely low in Ethiopia even by sub-Saharan African levels. With current levels of poverty it is clear that burdening households further through high user fees will only alienate them from the health service system.¹ Hence, massive increases in government expenditure far and beyond the target set for HSDP-III as well as additional foreign funding is critically needed to reach the MDGs for health and the country's vision for equitable health.²³ At the same time, to avoid skewed developments in health outcomes across the regional levels, minimum levels of budgetary allocations through earmarking or other obligations may help standardize spending.

Finally, improvements in the health outcomes can be made proactive and concerted intervention by all the stakeholders in a sector-wide approach that is deliberate and collaborative. Because of the multiplicity of the stakeholders comprising local and foreign (government, private, NGOs and donor) agencies, collaboration and coordination is necessary to achieve the desired results.^{15,25,32-34} Such coordination will help maximize the efficacy of donor assistance and avoid duplication of effort. Towards this end, the government needs to provide the needed leadership, governance framework and stewardship in this area. Without harmonization and leadership a responsive and effective health system meeting the right to health for Ethiopians cannot emerge.

References

- World Bank. Ethiopia: A Country Status Report on Health and Poverty. Draft Report (No.28963-ET). The World Bank Africa Region Human Development and Ministry of Health Ethiopia; 2004.
- Sundberg M, Lofgren H, Bourguignon F. Absorptive Capacity and Achieving the MDGs: The Case of Ethiopia. World Bank; 2005 Mar. http://www.imf.org/external/np/seminars/eng/2005/ famm/pdf/sundbe.pdf (accessed Aug 10, 2009).
- Federal Democratic Republic of Ethiopia (FDRE). Sustainable Development and Poverty Reduction Program. Addis Ababa: Ministry of Finance and Economic; 2002 Jul.
- Central Statistical Agency (Ethiopia) and ORC Macro. Ethiopia Demographic and Health Survey 2005. Addis Ababa: Ethiopia and Calverton, Maryland, USA: Central Statistical Agency and ORC Macro; 2006.
- World Bank. The Little Book of Data 2007. Washington DC: The World Bank.
- Department for International Development (DFID). International Health Partnership—A Global 'Compact' for Achieving the Health Millennium Development Goals; 2007 Sep 5. http://www. dfid.gov.uk/news/files/ihp/compact.pdf (accessed Aug 16, 2009).
- Federal Ministry of Health. Ethiopia's Third National Health Accounts (2004/05). Addis Ababa: FMOH, Healthcare Financing Team, Planning and Programming Department; 2006 Sep.
- Federal Ministry of Health. Health Sector Strategic Plan—III 2005/06–2009/10. Addis Ababa: Planning and Programming Department, Ministry of Health; 2005.
- Federal Ministry of Health. Health and Health Related Indicators 2002/2003. Addis Ababa: FMOH Planning and Programming Department; 2005.
- Federal Democratic Republic of Ethiopia (FDRE). Health Policy of the Transitional Government of Ethiopia. Addis Ababa: FDRE; 1993.
- Federal Ministry of Health. Health Sector Development Program (HSDP-I). Addis Ababa: Planning and Programming Department, Ministry of Health; 1997.

- Federal Ministry of Health. Health Sector Development Program (HSDP-II). Addis Ababa: Planning and Programming Department, Ministry of Health; 2002.
- Federal Ministry of Health. Health Sector Development Program (HSDP-III). Addis Ababa: Planning and Programming Department, Ministry of Health; 2005.
- Ministry of Finance and Economic Development (MOFED). Building on Progress: Plan for Accelerated and Sustained Development to End Poverty (PASDEP). Addis Ababa: MOFED; 2006 Sep.
- Kebede E. (undated). The Participation of NGOs/CSOs in the Health Sector Development Program of Ethiopia. Christian Relief Development Association. http://www.crdaethiopia.org/ PolicyDocuments/NGOs%20in%20HSDP.pdf (accessed Aug 10, 2009).
- MOFED. Millennium Development Goals Report: Challenges and Prospects for Ethiopia. Addis Ababa: MOFED and United Nations Country Team; 2004 Mar.
- Kombe G, Galaty D, Gadhia R, Decker C. Human and Financial Resource Requirements for Scaling Up HIV/AIDS Services in Ethiopia. Bethesda, MD: The Partners for Health Reformplus Project, Abt Associates Inc; 2004 Feb.
- Federal Ministry of Health. Ethiopia's Second National Health Accounts Report. Addis Ababa: FMOH, Healthcare Financing Secretariat; 2003 Jul.
- Federal Democratic Republic of Ethiopia (FDRE). The New Federal Budget Grant Distribution Formula. Ministry of Finance and Economic Development, Macro Economic Policy and Management Department; 2007 May.
- MOFED. Summary of Consolidated Federal and Regional Budget, EFY 2001(2008/09). Addis Ababa: MOFED; 2008.
- Independent Review Team. Ethiopia Health Sector Development Program (HSDP-III) (2005/06–2010/11) Mid-term review. Vol. 1, Component Report, Final report. Addis Ababa; 2008 Jul 12.
- 22. Mekonnen Y, Mekonnen A. Utilization of Maternal Health Care

Services in Ethiopia. Addis Ababa, Ethiopia: Ethiopian Health and Nutrition Research Institute and Calverton, Maryland, USA: ORC Marco; 2002 Nov.

- MOFED. Ethiopia: Progress towards Achieving the Millennium Development Goals: Success, Challenges and Prospects. Addis Ababa: MOFED, Development Planning and Research Department; 2008 Sep.
- Dejene, T. Health Service in Ethiopia. Ausgabe, Germany: German Ethiopia Association; 2003 Nov.
- Moore G, Beyene M, Green E, Leinen G, Robbins M. Evaluation of the Essential Services for Health in Ethiopia (ESHE) Program. Population Technical Assistance Project, USAID (May), http:// pdf.dec.org/pdf_docs/Pdabs556.pdf (accessed Aug 16, 2009).
- World Bank. World Development Report, 1993: Investing In Health. Washington DC :World Bank; 1993.
- 27. Commission on Macroeconomics and Health. Macroeconomics and Health: Investing in Health for Economic Development. Geneva: WHO; 2001.
- 28. WHO Regional Office for Africa. Ouagadougou Declaration on Primary Health Care and Health Systems in Africa: Achieving Better Health for Africa in the New Millennium. WHO Regional Office for Africa; 2008 Apr 30.
- World Bank. World Development Indicators Database. Washington DC: World Bank; 2004.
- 30. WHO Secretariat. Experiences of the GAVI Alliance Health Sys-

tem Strengthening Investment. The Global Fund's Strategic Approach to Health System Strengthening. Background note 5 for Jul 30/31, 2007 consultation. http://www.who.int/healthsystems/gf23.pdf (accessed Jan 20, 2008).

- 31. Task Force on Health Systems Research. The Millennium Development Goals Will Not Be Attained without New Research Addressing Health System Constraints to Delivering Effective Interventions. WHO; 2005 Mar. http://www.who.int/rpc/summit/ en/Task_Force_on_Health_Systems_Research.pdf (accessed Feb 13, 2009).
- 32. Lindelow M, Serneels PM, Lemma T. The Performance of Health Workers in Ethiopia Results from Qualitative Research. World Bank Policy Research Working Paper No.3558; 2005 Apr.
- Abebe, A. Bilateral Donor Coordination Experience of the Federal Government of Ethiopia. Addis Ababa: Ministry of Finance and Economic Development; 2005 Jan 11.
- Development Studies Association. Information Package on NGO Contributions. Addis Ababa: CRDA and Disaster Prevention and Preparedness Commission; 2004 Mar.
- **35.** Wamai R, Katsui H. Mainstreaming of Health and Disability Issues in the UK's, Japanese and Finnish Development Policies with Assessment of the Implementation and Practices in Ethiopia and Kenya. Joint Initiatives Report: Sasakawa Foundation; 2007.